

Plastics

July 2022

HOTLINE

rdgmedia
PUBLICATION

In This Issue: New Jersey Precision Tech 13 | Birch Machinery 13, 14 | Garden City Plastics 15 | Rapistak 10

BARREL BORE GAUGES

Checks IDs $\frac{3}{4}$ " – 24"

Checks barrel lengths to 30'



Over 30 years experience designing, manufacturing,
rebuilding, Screws and Barrels.

For Injection, extrusion and mold molding.

FLITE
TECHNOLOGY

www.flitetech.com

toll free: (800) 327-9310

phone: (321) 631-2050

fax: (321) 636-3508



#ULTRADRYER**SAVES**

MINIMUM ENERGY MAXIMUM SAVINGS

ENERGY USED TO DRY MATERIAL

Desiccant
Dryer

\$7,128* ANNUAL COST
TO DRY MATERIAL

45
watts/lb/hr

ULTRA[®]
Dryer

4
watts/lb/hr

\$634* ANNUAL COST
TO DRY MATERIAL

*Based on 220 pounds per hour, 6000 hours per year, kW cost at national average of \$0.12 per kW, measured at 80% of rated max throughput. This chart shows the **excess energy** required to **dry** the material.



DRY BETTER

WITH

ULTRA[®]
..... BY MAGUIRE

- ★ **Energy efficient**, unique vacuum drying technology
- ★ **Ultra-low kW energy usage** - fast ROI and savings for a lifetime
- ★ Faster drying, faster start-ups, **minimal maintenance**
- ★ **ULTRA Dryer smart features** and controls
- ★ Industry leading **5-year warranty**

Want to save with the ULTRA Dryer? Call us now to find out more.

@MaguireProducts Maguire-Products MaguireProducts

info@maguire.com | www.maguire.com

USA Toll Free +1 888 459 2412 | Canada +1 905 879 1 100 | Europe +441827 338 280 | Asia +65 6848 7117 | IMEA +971 4 817 0419 | Taiwan +886 4 2658 1535



Champions in Plastics

Plastics Hotline would like to thank each of these companies for participating in our Champions in Plastics Program. Please visit their online profiles at www.plasticshotline.com/champions and see how each company is a Champion in Plastics!

plastiXs®
manufacturing solutions

7innovative
RECYCLING SOLUTIONS

Plastics
HOTLINE

www.plasticshotline.com/champions



AIRTECT - Plastic Leak Alarm System

#1 Plastic Leak Alarm System - Early Detection is the Solution!

Nozzle and hot runner mold protection up to 32 sensor locations with early detection of plastic leakage, fast ROI and 24-hr peace of mind!



Stainless Steel & Aluminum Manifold Assemblies

Designed and Built to Your Specifications


Expertly assembled using the highest quality components from SMARTFLOW[®]. Standard and custom sizes available.



HiTemp Manifold & Hose Assemblies

Fully Integrated to Fit Your Application

Oil to 600°F or Water to 450°F. Turn-key manifold and hose assemblies. Designed and engineered to fit your high temperature applications.



HiTemp /High Wear Hoses from NORRES

Durable Industrial Conveying Hoses

Full line Norres distributor, featuring polyurethane, anti-static, food grade, high temperature, high wear material conveying hoses.



X-PURE Water Supply System

Plastixs Design to Eliminate Contaminants & the Damage They Cause

Eliminates contaminants by supplying clean, distilled water for use in high-temperature water units that operate with water at 300°F-450°F.



Morris Couplings and Components

The Industry's Choice for Pneumatic & Vacuum Conveying Components

Full line Morris distributor, featuring compression & gripper couplings, pipe & tubing straights, bends, wyes, tees, laterals & more.



SMARTFLOW[®] Manifolds

Durable and High Quality Water Manifolds Made in the USA

Increase cooling efficiency and speed cycles by providing ample water supply to cooling processes. Aluminum and stainless steel and standard and custom sizes available.

HiTemp EPDM Hose

High Temperature Industrial Water Hose

Ideal for high temperature water lines for molds up to +285°F (+140°C), 215 PSI. Available in 3/8", 1/2", & 3/4" ID sizes and in red, blue and black.



LinkedXValve[™] (US Patent 10,160,149 B2)

Plastixs Patented Valve Linkage System


Provides a single lever to operate both mold cooling supply and return lines simultaneously.



Moldshields[™]

Keep Parts off the Floor and Profits in Your Pocket

Crystal clear construction allows you to see into your mold and monitor parts in production. Kit includes 2 side curtains, hardware and magnets.



Date Code Inserts

Unique Design Provides Trouble-Free Indexing

Designed for rubber and silicone applications with the ability to withstand high temperatures, mold releases and reduce material flash.



Tigerflex Industrial Hoses

World-Leading Industrial Hoses Manufactured in the USA

Featuring PVC, urethane, rubber, food grade, anti-static, durable, flexible, long-lasting hoses that support a wide range of applications.



SLIDE[®] Mold Cleaners, Releases & More

High Quality & Specialized Products for Injection Molding, Extrusion & More

Optimize cycle times, eliminate part defects, minimize downtime, and eliminate profit-killing plastics processing obstacles with products by SLIDE[®].



SMARTFLOW[®] Flowmeters

Measure Flow Rate Effectively and Accurately

Mechanical and electronic flowmeters available with a number of options including thermometers, pressure gauges, liquid-filled pressure gauges and quick change socket and plug.





High quality equipment and customized solutions for your needs in recycling and extrusion

Thanks to our vast experience in the plastic industry and of our selected OEMs, IRS can offer you:

- recycling / upcycling systems for plastics
- extrusion systems
- filtration systems
- washing systems
- drying systems
- size reduction equipment



 **GAMMA MECCANICA**
RECYCLING LINES FOR PLASTIC MATERIALS



 **BRUNO FOLCIERI**
Granulators for Plastic Materials



 **PLASMAQ**
Recycling and recovery equipment



 **BD PLAST®**
FILTERING SYSTEMS

We are more than just a sales agency

www.irecyclingsolutions.com

TOLL FREE: 877 675-0775 office@irecyclingsolutions.com

Discover our
best products



Unmatched Technical Support for Innovative Products!



Dave Knows Purge



Have questions on how purging compounds can save you time and money? Dave Denzel can help. With almost 40 years of experience in the plastics industry, Dave can provide the tips and technical support you need to get the most out of your purging process.

At iD Additives, we mean it when we say, 'Unmatched Technical Support for Innovative Products.'
Visit our website, watch our YouTube videos...or contact Dave today!



(708) 588-0081 | iDadditives.com



Check out our YouTube videos.
Become a channel subscriber today.

INNOVATIVE ROBOTICS LINE FOR PLASTICS INJECTION MOLDING !

H5 Series !

Heavy Payload , Low ceiling !



H5 SERIES

- Molding Machine Size : 750 ~ 4,000 Tons
- Full Servo Robot up with 5 Axis AC Digital Servo.
- Industry First !. reverse (1 Axis) + Articulated Robot (4 Axis)
- Heavy Payload, Low ceiling & Less foot print
- Application : Basic Take out, Stacking, Insert Over Molding, Gate cutting, 2ndary automation!
- Features : High Strength Steel Frame, Powerful AC servo Motor, High Precision NSK Liner Motion Guide.

H5-C10 Controller

- 7" Wide Touch Screen
- ARM Cortex-A8 CPU, DDR2 512 MB
- Body Attached I.O box
- High-Performance EtherCAT Communication
- User-Friendly Icon-Based Control Screen.
- Developed with 30 years experience in the plastics molding industry.
- CE Certified Components, ISO 9001 Quality Production.

EPIK SERIES (Single or Double Arm Model)

- Molding Machine Size : 200 ~ 800 Tons
- Single or Double Arm Model (3~7 Axis AC Servo Control)
- Control : HYK-70 (Keba) Controller
- Application : Basic Take out, Stacking, Insert Over Molding, In Mold Labeling and Other 2ndary Automation, Sprue Picking
- Features : High Strength Steel Frame, High Strength AC servo Motor, Low Noise NSK Liner Motion Guide

HYK-70 (KEBA) Controller

- 7" Wide Touch Screen
- 1.2 GHz, ARM Cortex-A9 Core
- Ergonomic Design,
- High-Performance EtherCAT Communication
- High Quality Components, ISO 9001 Quality Production.
- User-Friendly Icon-Based Control Screen.
- Mode and teaching type programming for beginner mode
- Line by line programming for expert mode

ISO9001 QUALITY

CE CERTIFIED



EPIK-W SERIES (Flat Front Style Robot)

- Molding Machine Size : 400 ~ 4,000 Tons
- Flat Front style Robot with Single Arm Model
- Control : HYK-70 (KEBA) Controller
- Application : Basic Take out, Stacking, Insert Over Molding, In Mold Labeling and Other 2ndary Automation.
- Features : Longer parts handling, Low ceiling.

UNIK- SERIES (Mini Servo Robot)

- Molding Machine Size : 50 ~ 200 Tons
- Single or Double Arm Model
- Control : HYK-70 (KEBA) Controller
- Application : Take out, Stacking, Gate cutting, 2ndary Automation, Light Application.



HYROBOTICS CORP.

5319 BROWN AVE. ST. LOUIS MO 63120, USA

WWW.HYROBOTICS.COM



BETTER in Maintenance, Repair and Operations...
with our wide range of European quality products
at surprisingly affordable prices

MOULDPRO®


THE NEW STANDARD IN INJECTION MOLDING



*Power Clamps
for fast mold changes*



*Pressure Testers
for water line leak detection*



*Heated Sprue Cleaners
for gate de-plugging*



*Quick-Connect Couplers
for safe mold heating and cooling*



*Aluminum Water Manifolds
for tidy and compact mold heating & cooling*



*Gate Cutters
for easy sprue cutting*



*De-scaling Units
for cleaning clogged water lines*



*Brushes and Soft Tools
for easy mold cleaning*




*Water Hoses
for safe operation at high temperatures*

SCAN HERE TO SEE
OUR COMPLETE LINE



See us at...



www.globeius.com

Tel.: (305)889-1782
Email: info@globeius.com

Temperature Control Units

Water Units : up to 300°F at 35-100 GPM

Oil Units : up to 500°F at 20-100 GPM

Over 30 Years Experience
in Temperature Control
Unit Production!



Dual Zone Dolly

Water Units
Some units in stock
Call for information

Oil Units

Stacking Stand

Low capital investment, simple start up & operation, easy to maintain, microprocessor control instruments that are easy to read and understand, factory sales and service support along with new product warranties are the reasons why TempTek water and oil products are superior. Call now for Pricing & Delivery!

317-887-6352

www.TempTek.com

525 East Stop 18 Road
Greenwood Indiana 46143

TEMPTEK

Do You Have Flow?

Confirm Critical Cooling in Bubblers and Baffles



Improve your molding process by confirming the movement of cooling water flow inside restricted circuits where effective cooling is essential.

- Flow Range: 0.3 - 4LPM (0.08 - 1.0GPM)
- 1/4" through 1/2"NPT or BSPT
- Max Temperature: 99°C (210°F)
- Max Pressure: 6.9bar (100psi)
- High visibility rotor
- Corrosion-resistant materials in a proven design platform


For greater control over your critical mold cooling channels, add a Delta-Q precision flow regulator.

*Follow the
QR code
for details!*



In Support of Scientific CoolingSM Principles

burger & brown engineering, inc.



SMARTFLOW®

www.smartflow-usa.com

RAPISTAK CORPORATION

Go from this...



Our mold management systems are designed to save you space, time and money.

Visit our website or give us a call to learn more about how we can help you with your die or mold management needs.

716-822-2804 | www.rapistak.com

MORE THAN JUST STORAGE!

- * Manage your inventory
- * Become better organized
- * Protect your investment
- * Maximize cube utilization
- * Create a safer working environment

To this!



Highest Conveying Capacity

- Continuous push / pull conveying
- Plastic pellets, powders & fly ash
- Exclusive dual blower design
- Low temperature rise
- Blow to silos / fill trucks & railcars
- Up to 135,000 lbs / hr thru 6" line



Christianson

Pneumatic Conveying Equipment

800-328-8896

www.christianson.com



SAFETY FIRST!

RHINOFEET™ FOR A SAFER SHOP FLOOR.



From molds on the floor to tools on the bench, Progressive's new RhinoFeet offer a simple and efficient solution for elevating and storing heavy items:

- Eliminates the trip hazard of wood and skids strewn about the plant
- Cleaner approach that improves 5S standards
- Conveniently stores within reach magnetically

Call 1-800-269-6653 for a free sample, and visit our website for a product video and more info.

PROGRESSIVE
COMPONENTS

PROCOMPS.COM/RHINOFEET



ColorStream
plastrac

The Blending Revolution is Here!

Down Here!! On the Plant Floor!!

Our patented, modular, virtually maintenance-free system moves blending and color changing to ground level. No more catwalks, scissor lifts, ladders, or climbing to swap out canisters or perform maintenance. And because it is cart-based, ColorStream can move easily between multiple machines.



610-356-3000 • Plastrac.com



HIGH QUALITY EQUIPMENT AND CUSTOMIZED SOLUTIONS FOR YOUR NEEDS IN RECYCLING AND EXTRUSION

Thanks to our vast experience in the plastic industry and of our selected OEMs, IRS can offer you:

- recycling / upcycling systems for plastics
- extrusion systems
- filtration systems
- washing systems
- drying systems
- size reduction equipment



GAMMA MECCANICA
RECYCLING LINES FOR PLASTIC MATERIALS



BRUNO FOLCIERI
Granulators for Plastic Materials



PLASMAQ
Recycling and recovery equipment



BD PLAST®
FILTERING SYSTEMS

We are more than just a sales agency

www.irecyclingsolutions.com | office@irecyclingsolutions.com | TOLL FREE: 877 675-0775

Water Chillers

Over 30 Years
Experience in
Chiller Production!

Portable Chillers : .25-40 tons at .7-92 GPM

Indoor Portable Chiller ... Air or Water Cooled ... some units in stock to 20 tons.

Central Chillers : 5-180 tons at 48-540 GPM

Indoor & Outdoor units ... Air or Water Cooled

Complete chiller & pump system packages or stand alone chilling modules.



Portable Chillers



Central Chillers



Low capital investment, simple start up & operation, easy to maintain, microprocessor control instruments that are easy to read and understand, factory sales and service support along with new product warranties are the reasons why TempTek water products are superior. Call now for Pricing & Delivery!

317-887-6352

www.TempTek.com

525 East Stop 18 Road
Greenwood Indiana 46143



TIE BARS



Back into Production With Minimal Downtime Tie Bars & Nuts



Birch Machinery • 989-624-9371
email: generalinfo@birchmachinery.com
Website: www.birchmachinery.com

Any Machine - Anywhere in North America!

Do You Run HOT?

plastixs
manufacturing solutions

HiTemp & Xtreme HiTemp Manifolds & Manifold Assemblies



The Solution to Your HiTemp Challenges

- HiTemp Oil Manifolds to 600°F, 250 psi
- HiTemp Water Manifolds to 400°F, 250 psi
- Xtreme HiTemp Water Manifolds to 450°F, 680 psi
- HiTemp EPDM Superflex Water Hose to 284°F
- Insulated, Flexible Metal Hose to 600°F
- Insulated Fluoropolymer Hose to 450°F

QUICK QUOTES
sales@plastixs.com
888.792.2223

www.plastixs.com

Plastic Extrusion Tools Fast!



40+ EDM machines &
20+ CNC machines running 24/7

PLASTIC EXTRUSION TOOLING BUILT IN 1 WEEK!

Quotations within 24 hours...

Tooling production in 24 hours for most plate dies and transitions. Less than one week for many die, transition and calibrator tools.

New Jersey Precision Technologies, Inc.

Improving lives through manufacturing innovation.

1081 Bristol Road, Mountainside, NJ 07092
800-409-3000 • email: sales@njpt.com • www.njpt.com

IMPROVED PROCESS EFFICIENCY

DURABILITY

Our extruders provide a greater stability and longer system life that help maintain a healthy bottom line.

QUALITY

Our years of experience are reflected in every filter that we build. This leads to a superior filter to anything else on the market.

EXPERTISE

Our technological skills and expertise allow us to build the pelletizing die you need for your operation.

TECHNOLOGY

We have mastered the design and construction of water baths, giving our customers an edge in their extrusion business.



EXTRUDERS • SCREEN CHANGERS • PELLETIZERS • AIR STRIPPERS • WATER BATHS



CONTACT US TO SPEAK TO AN EXTRUSION EXPERT
Working together to provide solutions today for tomorrow's demands

Worcester, MA, USA | Phone: (508) 852-0040 | www.berlynecm.com

REPS WANTED - PLEASE CONTACT US

Better Plastic Solutions Inc.

20 & 45 Ton Toshiba
Molding Presses

EMI Roller Type Parts Separator

Crizaf Rotary Assembly
Table 115 volt

2010 Whittman Servo
Robot 25-120 ton

Una-Dyn DHD-6SB Desiccant
Dryer, 230 volt with 600lb
Drying Hopper on a Stand

Novatec Portable
Dryers 25-100 cfm

www.bplasticsolutions.com
Contact: Ben @ 612-940-2774

It's Coming...

The next issue is our annual Buyers' Guide issue. Contact Lydia to get your company included before it is too late.

Visit our buyers' guide to find industry suppliers for all of your plastics needs.



Get Listed In Our Buyers' Guide both in Print and Online!

Suppliers: Reserve your company's listing today to be listed all year online and in the **August 2022** print edition. The sooner you reply, the longer your listing will be seen in the *Plastics Hotline* 2022 Buyers' Guide. There is a range of listing options for the entire year online and in the August printed issue...this puts your company in front of more than 90,000 buyers.

Contact lydia@plasticshotline.com to get listed

www.plasticshotline.com/buyers-guide

Increase your machines longevity by rebuilding the toggle linkage.



We can rebuild the whole "top half" or just the linkage.



Birch Machinery • 989-624-9371
email: generalinfo@birchmachinery.com
Website: www.birchmachinery.com

Any Machine - Anywhere in North America!

RECHNER SENSORS CAPACITIVE LEVEL CONTROL



www.rechner.com - 1-800-544-4106 - Sanborn, NY

For Sale:

- Uniloy 24 Station Wheel
- Molding Machine Heads
- Akei AO-70
- Bekum H-111
- Bekum H-121
- Bekum H-151
- Fischer FHB-106-1&2
- Magic MGL-5
- Uniloy 250R, 350R2, 2, 4 & 6 Heads
- Jomar 175-Ton IBM
- Chillers, Grinders, Marley Towers & Tanks
- High Pressure Air-Compressors
- Uniloy Dual Shuttle, 2008 & 2010



Bruce Meyer
Blow Mold Engineer

P.O. Box 1373
Huffman, TX 77336

Ph/Fax: 281-324-5031
Cell: 281-831-2072

Need Training?
Call the Doctor!

BlowmoldDoc@verizon.net
www.BlowmoldTraining.com

Blow Molding Machinery, New, Used, Rebuilt.
Parts, Service, Technology and Training Classes

Check out website: www.jackson-machinery.com Or Call 262-284-1066




Alphamac
All Electrical

Sterling

HAYSSEN

ROW ELECTRICAL EQUIPMENT INC.

P.O. Box 2812 • Toledo, Ohio 43606 • 419-248-4479 • 800-248-4479
Fax No. 419-244-8887 • sales@rowelectrical.com • www.rowelectrical.com



100,000 Sq. Ft. Warehouse
We sell new and used
industrial electrical equipment, including:

- D.C. and A.C. Motors
- D.C. Drives
- A.C. Starters
- Transformers
- Switchgear
- Gear Reducers
- 1 HP Thru 3500 HP
- Engine-Gen. Sets

CALL 24 HOURS • WE BUY USED ELECTRICAL EQUIPMENT



United Plastics, Inc.
1227 Garfield Avenue • Flint, MI 48505
PH: 810-238-2186 • FAX: 810-238-2273
email: roy@unitedplasticsinc.com
www.unitedplasticsinc.com

BUY/SELL:

Plastic and surplus regrind, repro, virgin materials, dunnage, trays, pallets, crates, parts, sheet, pipe, purge

SERVICES:

Washing & Drying Capabilities,
Toll Grinding 200,000 lbs. + per day

Plastics
HOTLINE

www.plasticshotline.com

The Monthly Marketplace
for Plastics Processing
Equipment, Materials,
Supplies & Business Services

GRINDING

- GRANULATION/COARSE GRINDING
- PULVERIZING/FINE GRINDING
- CRYOGENIC GRINDING
- SIFTING/CLASSIFYING
- BLENDING/MIXING
- REPACKAGING



AllgrindPlastics

P.O. Box 363
Bloomsbury, NJ 08804

908-479-4400

web site: www.allgrind.com

e-mail: info@allgrind.com

Air Cooled Portable Chillers
Durable and Efficient

2-100 ton. in capacity



Wide service temperature
and operating range.

Learn more: 1.800.473.9178 www.waterchillers.com



24/7
SUPPORT

Plastics
HOTLINE

CHECK OUT OUR WEBSITE!
www.plasticshotline.com

PLASTICS HOTLINE

A RDG Media, Inc. Publication
P.O. Box 80915
Rochester, MI 48308

CALL 586-227-9344

Presorted Std
US Postage
PAID
RDG Media, Inc.



Tel: 847-439-2126 • Fax: 847-439-0917

www.bladesmachinery.com

e-mail: blades@bladesmachinery.com



THE GRANULATOR SUPERSTORE®

GRANULATORS

- (6) Wortex UP-730, 735, 755HS
- (3) Cumberland 30T, 56T
- (3) Rapid CR-66
- (65) 8x10 Nelmor 5 HP
- (20) 9x12 Rapid 7.5 HP
- (3) Cumberland Model 18, 20, 30
- (40) 10x12 Nelmor 10 HP
- (10) B&J BP27, BP32
- (6) Cumberland 1215
- (110) Nelmor 1215, 1220
- (1) B&J 1248 w/Feed Rolls
- (5) Conair CG1418, 1424
- (1) Rapid 1418K
- (2) 14x20 Cumberland 20 HP
- (14) Cumberland 284, 484, 584, 684
- (4) Cumberland 1426L, 60 HP
- (5) Nelmor 1436 w/Feedrolls, 1454
- (5) 24B Cumberland 75 HP
- (7) Cumberland 1456, 56U
- (8) Cumberland 1616, 1620, 1628
- (6) Nelmor 1620, 1624, 1628
- (4) 28B Cumberland 75 HP
- (7) Rapid 1824, 1831, W-1836
- (3) Nelmor 1820, 2020
- (2) Cumberland 1836
- (8) 37B Cumberland
- (1) CMG 1842I
- Herbold SMS 45/160 H5-2
- (1) Granutech 2048, 100HP
- (2) Cumberland 50B, 72B
- (2) Cumberland 2428I
- Cumberland Model 80, 81
- (5) Rapid Model 2442R, M, H
- Ball & Jewel 3030 (100 HP)
- 26x80 Condux 150 HP
- Nelmor 3048
- (2) Cumberland 3250

- (1) Condux CV-50 Compactor

SHREDDERS

- (2) ShredTech ST 10
- ShredPax AZ-80
- Mitts & Merrill 2-Shaft Shredder
- ShredTec 30"x52" Shredder
- Nelmor Shredder/Grinder Combo

THERMOFORMING LINES

- (1) Brown CS-4500, 1995 w/Trim Press
- Brown Trim Presses: T-301, T-340, T-360
- Lyle 40"x40", 50"x50"

TEMP. CTRL., UNITS CHILLERS

- (7) Sterlco 12 KW Oil Unit
- (6) Thermocare 2, 3 Ton
- Advantage 12KW Oil, 10 KW Water

PELLETIZERS

- (12) Cumberland 6", 8", 11", 14", 20"
- (3) Conair T208
- (3) Automatik Sphero 220
- (1) Sheer Bay B20-P long cut
- (1) Witte Screeners
- Sweco 18" & 30" Screeners
- (1) Carter Day Spin Dryer

DRYERS

- (25) Conair CD30, CD100, CS101, CD-200, CD-300, CD-600
- (1) Novatec Novadrier N-150R Unitized
- Una-Dyne DHD-8, DHD-25 w/Hoppers
- (1) Novatec MPC 1000 Dryer
- (1) Conair W-2400 Dryer

EXTRUDERS AND LINES

- Leistritch 27mm
- Berstorff 25mm
- (5) 1" Wayne Extruder, Killion
- (3) Davis Standard 1 1/2"
- (3) Davis Standard 2.5" 32:1, 24:1
- Davis Standard 3" 24:1, 30:1
- Davis Standard 3 1/2" 24:1, 30:1

- 3 1/2" Egan Extruder 30:1
- PTI 4" Extruder
- 6" CDL Extruder, Vented, 30:1
- 6 1/2" Davis Standard 27:1, 1999
- (45) Sheet Dies 4"-96" Width
- (6) EDI 20" PVC Siding Dies
- Davis Standard 52" 18x30x30 Roll Stack
- 24"x50" PTI Roll Stack
- 6" 30:1 Prodex
- 78" PTI Sheet Line

JUST ARRIVED:

- (6) Beringer 12" Screen Changers
- Sheer Bay SGS-300 Pelletizer
- Pallman PX 315 Pulveriser
- GALA 5MUP Pelletizer
- Condux CS 800/1200 9 Knife
- Simon Day Spin Dryer
- 24"x60" Gloucester 3-Roll Stack
- (2) Maxon SDFK 67" Sheeter
- (2) BD Plast 350mm Screen Changer
- 600 HP 460V AC Motor (unused)
- B&J VG2257 Granulator
- Pallman PS6-6 Rubber Bale Grinder
- Granutec 3648, 125 HP
- (3) 250 Cubic Feet, SS Ribbon Blenders
- W&P 20mm, 40mm & 83mm
Twinscrew Extruders
- Parkinson Series 50, 60" Winder
- 200 HP Champion Hammermill
- CME C5 Cooler
- (1) Procedyne TCF-2430 FD
- Rosenthal Sheeters 36", 60", 72"

PIPE & PROFILE EQUIPMENT

- S.I.C.A. 10" Planetary Saw
- Battenfeld Upcut Saw
- Battenfeld 6"x56" Puller

"IN STOCK" • OVER 15,000 KNIVES, SCREENS & PARTS